

24 March 2025

Ref: 212218/10768

Muswellbrook Coal Company PO Box 123 Muswellbrook NSW 2333

RE: MARCH 2025 NOISE MONITORING RESULTS - MUSWELLBROOK COAL MINE

This letter report presents the results of noise compliance monitoring, commencing at about 12:40 am on Friday 14th of March, 2025, for the Muswellbrook Coal Company (MCC) mine at Muscle Creek Road, Muswellbrook. The monitoring was undertaken as per the requirements of D.A. 205/2002 and detailed in the Noise Management Plan (NMP) for the mine.

Attended Noise Monitoring Program

Noise monitoring was undertaken in accordance with the NMP as summarised below.

All attended monitoring and equipment maintenance and calibration is conducted in accordance with the Noise Policy for Industry (NPfI) and AS1055 – Acoustics, Description and Measurement of Environmental Noise.

Attended noise monitoring is undertaken monthly by an independent noise consultant. Each attended noise survey will be conducted during night periods only. If it is identified during the noise monitoring that the mining noise from the operation is exceeding the criteria, MCC will be notified and the operations will be modified as required. Monitoring at the location(s) where the noise levels are elevated will be undertaken again with a minimum break of 75 minutes between monitoring.

The noise criteria for MCC apply under all meteorological conditions except for the following:

- i. Wind speeds greater than 3m/s at 10m above ground level; or
- ii. Stability category F temperature inversion conditions and wind speeds greater than 2 m/s at 10m above ground level; or
- iii. Stability category G temperature inversion conditions.

To determine compliance with the Leq (15 min) operational noise criteria the modification factors detailed in Section 4 of the NPI must be applied, as appropriate, to the measured noise levels.

Due to the distance of the mine from each residence, the monitoring of LA1 (1minute) at the facade is not considered necessary and will be conducted at/or near the property boundary.

The attended noise monitoring locations are detailed in **Table 1** and shown in **Figure 1**.

Noi	Table 1 se Monitoring Locations
Location	Description
R13	Sandy Creek Road
R15	Queen St
R17	Queen St
R25	Sandy Creek Road
R32	Muscle Creek Road




Figure 1 – Noise Monitoring Locations

Noise criteria for all assessment locations shown in Figure 1 are detailed in Appendix I to this report.

Monitoring Equipment

Attended noise monitoring was conducted with a Brüel & Kjær Type 2250 Precision Sound Analyser. This instrument has Type 1 characteristics as defined in AS1259-1990 "Sound Level Meters" and has current NATA calibration. Field calibration is carried out at the start and end of each monitoring period. Calibration certificates are attached as **Appendix II** to this report.

A-weighted noise levels were measured over the 15 minute monitoring period with data acquired of 1 second statistical intervals and the meter set to "fast" response. Each 1 second measurement is accompanied by a third-octave band spectrum from 20 - 20k Hz which is required for analysing NPI 'modifying factors'.





Time based field notes allow for determination of the relative contributions to the overall noise level of all significant noise sources.

Measurement Analysis

The MCC compliance noise criteria are based on a 15 minute Leq noise level. The 15 minute Leq noise level for each monitoring period is shown in the tables below. Where the noise from MCC was audible Bruel & Kjaer "*Evaluator*" analysis software was used to quantify the contribution of the mine and other significant noise sources to the overall level. Mine noise from MCC is shown in the table in bold type.

All noise levels shown are in dB(A) Leq (15 min) unless otherwise detailed.

MCC Operations

Operational details for MCC for the monitoring period on the 14th of March 2025 (that is, after midnight on the 13th of March) are detailed in **Appendix III**. At the time of the noise monitoring MCC had ceased mining operations and work was being undertaken to rehabilitate the site.

Noise Compliance Assessment

The results of the noise measurements are shown in Table 2.

					Table	e 2			
			MCC Ope	rational Noi	se Monitor	ing Results	- 14 th March	2025	
Location	Time	dB(A), Leq	MCC Contribution dB(A), Leq	Criterion dB(A) Leq	dB(A), L1 (1min) ¹	Criterion dB(A), L1 (1min) ¹	Stability Class/ Wind speed (m/s)/dir ^o	Compliant Met Conditions?	Identified Noise Sources ²
R13 Sandy Creek Rd.	1:01am	37	27	41	31	45	F/0.5/027	Yes	Traffic (36), insects (27), MCC (27)
R15 Queen St.	1:26am	42	n/a	37	n/a	45	F/0.6/343	Yes	Traffic (39), train (38), frogs (29), insects (28), MCC inaudible
R17 Queen St.	1:45am	38	n/a	35	n/a	45	F/1.0/041	Yes	Birds (38), insects (31), traffic (29), dogs (25), MCC inaudible
R25 Sandy Creek Rd.	12:41am	34	24	42	27	45	F/0.2/303	Yes	Traffic (30), insects (30), train (25), MCC (24)
R32 Muscle Creek Rd.	2:15am	69	n/a	35	n/a	45	D/1.1/018	Yes	Trains (69), insects (40), frogs (26), MCC inaudible

1. L1 (1 min) from MCC mine noise only

2. See text regarding MCC noise sources

The results in Table 2 show that, under the operational and meteorological conditions at the time, mine



noise from MCC was audible at monitoring locations R13 and R25. Mine noise from MCC was inaudible at all other monitoring locations throughout the survey.

Table 2 also shows that the noise was consistent enough to be measurable at monitoring locations R13 and R25. At locations R13 and R25, the noise from MCC was from a combination of mine hum with occasional engine revs.

The data from the mine operated weather station showed that meteorological conditions were compliant with the conditions in the NMP for the noise monitoring surveys conducted at all monitoring locations.

As indicated above, noise from MCC was measurable or quantifiable at locations R13 and R25.

Data from those times where MCC operations were audible during the monitoring survey were analysed using the *"Evaluator"* software. This analysis showed the noise did not contain any tonal or impulsive components as per definitions in the NPI.

The methodology for analysing the low frequency noise modifying factor correction in the NPI is shown in extract below.

Low-frequency noise	Measurement of source contribution C- weighted and A- weighted level and one-third octave measurements in the range 10– 160 Hz	 Measure/assess source contribution C- and A-weighted Leq, T levels over same time period. Correction to be applied where the C minus A level is 15 dB or more and: where any of the one-third octave noise levels in Table C2 are exceeded by up to and including 5 dB and cannot be mitigated, a 2- dB(A) positive adjustment to measured/predicted A- weighted levels applies for the evening/night period where any of the one-third octave noise levels in Table C2 are exceeded by more than 5 dB and cannot be mitigated, a 5- dB(A) positive adjustment to measured/predicted A- weighted levels applies for the evening/night period and a 2- dB(A) positive adjustment applies for the daytime period. 	2 or 5 dB ²	A difference of 15 dB or more between C- and A-weighted measurements identifies the potential for an unbalance spectrum and potential increased annoyance. The values in Table C2 are derived from Moorhouse (2011) for DEFRA fluctuating low- frequency noise criteria with corrections to reflect external assessment locations.
------------------------	---	---	------------------------	---

Table C2 : One-third octave low-frequency noise thresholds.

Hz/dB(Z)	One-th	nird octa	ave dB(2	Z) Leq (15 min)	thresho	ld level						
Frequency (Hz)	10	12.5	16	20	25	31.5	40	50	63	80	100	125	160
dB(Z)	92	89	86	77	69	61	54	50	50	48	48	46	44





The correction applies to the mine noise component only. There are many sources of low frequency noise in the acoustic environment of each receiver area (including noise from road and rail traffic). In many cases the C minus A level is greater than 15 due to these other noise sources. In most instances the screening criteria will be the one third octave analysis. The NPI quantitative assessment of noise from MCC can only be conducted where the noise was clearly definable, which is at a level typically greater than 30 dB(A) or when there are no other significant sources. Due to this, quantitative assessment of low frequency noise was not possible.

In addition to the operational noise, the noise from MCC must not exceed **45 or 47 dB(A) L1 (1 min)** between the hours of 10 pm and 7 am (see Appendix I for details of noise criteria at various receiver locations). This is to minimise the potential for sleep disturbance as a result of individual loud noises from the mine.

The compliance measurement locations are different for each of the operational and sleep disturbance noise. That is, the sleep disturbance criterion is typically applicable at 1m from the facade of a bedroom window.

To avoid undue disturbance to residents the L1 (1 min) noise level from the operational measurements are used to show general compliance with the sleep disturbance criterion. That is, as the distance between the noise source and the operational noise monitoring location is significantly greater than the distance between the operational noise monitoring location and the sleep disturbance monitoring location (i.e. 1m from the facade of the house) there will be little variation in L1 (1 min) levels between the two monitoring locations.

It must be noted, however, that the sleep disturbance criterion is applicable at the outside of a bedroom window. As the internal layout of each residence is not known, to consider a worst case, the bedroom windows were assumed to be facing towards the mine.

As shown in Table 2, during the night time measurement circuit the L1 (1 min) noise from MCC did not exceed 45 dB(A) at any monitoring location.


We trust this report fulfils your requirements at this time, however, should you require additional information or assistance please contact the undersigned on (02) 4954 2276.

Yours faithfully,

SPECTRUM ACOUSTICS PTY LIMITED

Author:

Neil Pennington Acoustical Consultant



Appendix I

Noise criteria from Development Consent DA205/2002 (Locations as per Figure 1).

Location	Day	Evening	Nig	ht
Location	L _{Aeq(15 minute)}	L _{Aeq(15 minute)}	L _{Aeq(15 minute)}	L _{A1 (1 minute)}
R1, R2, R3, R4, R17, R26, R27, R28, R29, R30, R31, R32, R33, R34, R35, R37, R38, R39	35	35	35	45
R5	36	36	36	45
R7	38	38	38	45
R11	39	39	39	45
R12	39	39	39	45
R13	41	41	41	45
R14	38	38	38	45
R15	37	37	37	45
R16	36	36	36	45
R17	35	35	35	45
R18	45	38	37	47
R20	45	38	37	47
R21	37	37	37	45
R22	39	39	39	45
R23	39	39	39	45
R24	40	40	40	45
R25	42	42	42	45
R36	38	38	38	45
R40	42	42	42	45
R41	42	42	42	45
R42	40	40	40	45

Note: All levels are in dB(A)

Note: Following further consultation with the community it has been identified that R11 is a stable complex, not a residence, so the criteria listed in the table above do not apply.



Appendix II

Calibration Certificates

NVMS	Certificate stor C4		NATA
Sydney Calibration Laboratory Unit 21, 1 Talavera Road, Macquari Accredited for compliance with ISO	ie Park NSW 2113, Australia //IEC 17025 - Calibration. Laboratory No. 130	1	WORLD RECOGNISED
CERTIFICATE OF	CALIBRATION	Certificate No: CAU240	D1038 Page 1 of 11
CALIBRATION OF:	Distant 4	an Billion and Anna an	and the second second second
Sound Level Meter:	Brüel & Kjær	2250	No: 3030460
Microphone:	Brüel & Kjær	4189	No: 3318407
Preamplifier:	Brüel & Kjær	ZC-0032	No: 31079
Supplied Calibrator:	Brüel & Kjær	4231	No: 2466354
Software version:	BZ7223 Version 4.7.6	Pattern Approval:	Place and States of States and
Instruction manual:	BE1712-22	Identification:	N/A
CUSTOMER:	teaser?		Constants of the second second
	Spectrum Acoustics Pty Ltd		
	8 Panylan St		
	Cardiff NSW 2285		Constant Constant
			the second s
CALIBRATION COND	ITIONS:		
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the	th the requirements as specif e periodic tests. The measure	ments included in this document
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE:	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through	th the requirements as specif e periodic tests. The measuren accredited calibration of all r	ments included in this document relevant reference equipment.
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the	th the requirements as specif e periodic tests. The measurer accredited calibration of all r e of Brüel & Kjær Sound Level	ments included in this document relevant reference equipment. Meter Calibration System B&K
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance	th the requirements as specif e periodic tests. The measurer accredited calibration of all r e of Brüel & Kjær Sound Level	ments included in this document relevant reference equipment. Meter Calibration System B&K
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance	th the requirements as specif e periodic tests. The measurer accredited calibration of all r e of Brüel & Kjær Sound Level	ments included in this document relevant reference equipment. Meter Calibration System B&K 0-4189.
Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw RESULTS: Initial calibration	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance	th the requirements as specif e periodic tests. The measuren accredited calibration of all r e of Brüel & Kjær Sound Level 8.60) and test procedure 2250	ments included in this document elevant reference equipment. Meter Calibration System B&K 0-4189. r/adjustment
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw RESULTS: Initial calibration X Calibration withou The reported expanded una a level of confidence of app	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance ware type 7763 (version 8.6 - DB: 8 trepair/adjustment certainty is based on the standard proximately 95 %. The uncertainty from the standards, calibration me	th the requirements as specif e periodic tests. The measurer accredited calibration of all r e of Brüel & Kjær Sound Level .60) and test procedure 2250 Calibration prior to repair Calibration after repair/a uncertainty multiplied by a c evaluation has been carried of	ments included in this document relevant reference equipment. Meter Calibration System B&K 0-4189. r/adjustment r/adjustment roverage factor k = 2 providing out in accordance with EA-4/02
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw RESULTS: Initial calibration X Calibration withou The reported expanded und a level of confidence of app from elements originating f	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance ware type 7763 (version 8.6 - DB: 8 trepair/adjustment certainty is based on the standard proximately 95 %. The uncertainty from the standards, calibration me te under calibration.	th the requirements as specif e periodic tests. The measuren accredited calibration of all r e of Brüel & Kjær Sound Level 60) and test procedure 2250 Calibration prior to repain Calibration after repair/a uncertainty multiplied by a c evaluation has been carried o ethod, effect of environmenta	ments included in this document relevant reference equipment. Meter Calibration System B&K 0-4189. r/adjustment r/adjustment roverage factor k = 2 providing out in accordance with EA-4/02
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw RESULTS: Initial calibration X Calibration withou The reported expanded und a level of confidence of app from elements originating for the device Contribution from the device	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance ware type 7763 (version 8.6 - DB: 8 trepair/adjustment certainty is based on the standard proximately 95 %. The uncertainty from the standards, calibration me te under calibration.	th the requirements as specif e periodic tests. The measuren accredited calibration of all r e of Brüel & Kjær Sound Level 60) and test procedure 2250 Calibration prior to repain Calibration after repair/a uncertainty multiplied by a c evaluation has been carried o ethod, effect of environmenta	ments included in this document relevant reference equipment. Meter Calibration System B&K 0-4189. r/adjustment r/adjustment roverage factor k = 2 providing out in accordance with EA-4/02 al conditions and any short time
Preconditioning: Environment conditions: SPECIFICATIONS: The Sound Level Meter has Procedures from IEC 61672 are traceable to Australian PROCEDURE: The measurements have be 3630 with application softw RESULTS: Initial calibration X Calibration withou The reported expanded und a level of confidence of app from elements originating for contribution from the device	4 hours at 23 °C see actual values in Environme been calibrated in accordance wi -3:2013 were used to perform the / International standards through een performed with the assistance ware type 7763 (version 8.6 - DB: 8 trepair/adjustment certainty is based on the standard proximately 95 %. The uncertainty from the standards, calibration me ce under calibration.	th the requirements as specif e periodic tests. The measurer accredited calibration of all r e of Brüel & Kjær Sound Level .60) and test procedure 2250 Calibration prior to repair Calibration after repair/a uncertainty multiplied by a c evaluation has been carried o ethod, effect of environmenta	ments included in this document relevant reference equipment. Meter Calibration System B&K 0-4189. r/adjustment r/adjustment roverage factor k = 2 providing out in accordance with EA-4/02 al conditions and any short time



N	VMC	1 1						NATA
Unit 21,	Calibration Laboratory , 1 Talavera Road, Macquar ted for compliance with ISC			No. 1301				WORLD RECOGNISED
CER	RTIFICATE O	F CALIBRA	ATION		Certificate M	No: CAU24010)37	Page 1 of 5
CALI	IBRATION O	F:				stein S	1.124	and disease
		Acoustic Calib Identification:		Bruel & N/A	Kjaer 4231		No: 2466354	
CLIE	NT:						inder States Billion to an	and a standard See particular
		Spectrum Aco	ustics Pty Lto	d				
		8 Panylan St Cardiff NSW 2	785				ແມ່ງ ແລະ ແມ	
		Cardin NSW 2	205					
CALI	IBRATION CO	ONDITION	NS:	not sidian amenicas	edian make	Phose and analoga a	hom a cest uro raibiatio	of a lebon
	nditioning:		12 hours at	t 23 °C				
Enviror				atura	23.6 °C	± 3°C		
SPEC The aco The me	nment conditions CIFICATIONS pustic calibrator has pasurements include tion of all relevant re	been calibrated d in this docum	ent are trace	re: umidity: nce with the		± 20 %RH		
SPEC The aco The me calibrat PRO The me	CIFICATIONS oustic calibrator has easurements include tion of all relevant re CEDURE: easurements have be	been calibrated d in this docum eference equipn	Air pressur Relative Hu d in accordan ent are trace nent. with the assis	re: umidity: nce with the eable to Au stance of B	53.0 %RH e requirement stralian / Inter rüel & Kjær So	± 20 %RH s as specified rnational star	ndards through	accredited
SPEC The acc The me calibrat PRO The me 3630 wi	CIFICATIONS bustic calibrator has assurements include tion of all relevant re CEDURE: easurements have bu vith application softw	been calibrated d in this docum eference equipn	Air pressur Relative Hu d in accordan ent are trace nent. with the assis	re: umidity: nce with the eable to Au stance of B	53.0 %RH e requirement stralian / Inter rüel & Kjær So	± 20 %RH s as specified rnational star	ndards through	accredited
SPEC The acc The me calibrat PRO The me 3630 wi	CIFICATIONS oustic calibrator has easurements include tion of all relevant re CEDURE: easurements have be	been calibrated d in this docum eference equipn	Air pressur Relative Hu d in accordan ent are trace nent. with the assis	re: umidity: nce with the eable to Au stance of B - DB: 8.60)	53.0 %RH e requirement stralian / Inter rüel & Kjær So	± 20 %RH is as specified rnational star pund Level M edure P_4231	ndards through leter Calibration L_4192_M01.	accredited
SPEC The acc The me calibrat PRO The me 3630 wi	CIFICATIONS oustic calibrator has assurements include tion of all relevant re CEDURE: easurements have be with application softw ULTS:	been calibrated d in this docum eference equipn een performed v vare type 7794 (Air pressur Relative Hu d in accordan ent are trace nent. with the assis (version 8.6 -	re: umidity: ace with the eable to Au stance of B - DB: 8.60) : Ca	53.0 %RH e requirement stralian / Inter rüel & Kjær So and test proce	± 20 %RH is as specified rnational star bound Level M edure P_4231 r to repair/ad	ndards through leter Calibration L_4192_M01. djustment	accredited
SPEC The acco The me calibrat PRO The me 3630 wi RESU X The rep a level o from eli	CIFICATIONS bustic calibrator has easurements include tion of all relevant re CEDURE: easurements have be with application softw ULTS:	been calibrated d in this docum eference equipn een performed v vare type 7794 (t repair/adjustn certainty is base vroximately 95 % from the standa	Air pressur Relative Hu d in accordan ent are trace nent. with the assis (version 8.6 - ment ed on the sta %. The uncer irds, calibrati	re: umidity: ace with the eable to Au stance of B - DB: 8.60) : Ca Ca Ca ndard unce tainty evalu	53.0 %RH e requirement stralian / Inter rüel & Kjær So and test proce alibration prio alibration afte ertainty multip jation has bee	± 20 %RH s as specified rnational star bund Level M edure P_4231 r to repair/adju r repair/adju blied by a coven carried ou	ndards through leter Calibration L_4192_M01. djustment stment rerage factor k : t in accordance	accredited
SPEC The acco The me calibrat PRO The me 3630 w RESU X The rep a level of from ele contribut	CIFICATIONS oustic calibrator has easurements include tion of all relevant re CEDURE: easurements have be vith application softw ULTS: Initial calibration Calibration withou ported expanded un of confidence of app lements originating f	been calibrated d in this docum eference equipn een performed v vare type 7794 (t repair/adjustn certainty is base proximately 95 % from the standa se under calibra	Air pressur Relative Hu d in accordan ent are trace nent. with the assis (version 8.6 - ment ed on the sta %. The uncer irds, calibrati	re: umidity: ace with the eable to Au stance of B - DB: 8.60) : Ca Ca Ca ndard unce tainty evalu	53.0 %RH e requirement stralian / Inter rüel & Kjær So and test proce alibration prio alibration afte ertainty multip Jation has bee I, effect of env	± 20 %RH s as specified rnational star ound Level M edure P_4231 r to repair/adju olied by a cov en carried ou vironmental d	ndards through leter Calibration L_4192_M01. djustment stment rerage factor k : t in accordance	accredited n System B&K = 2 providing with EA-4/02 any short time
SPEC The acco The me calibrat PRO The me 3630 w RESU X The rep a level of from ele contribut	CIFICATIONS Dustic calibrator has assurements include tion of all relevant re CEDURE: easurements have be with application softw ULTS: Initial calibration Calibration without ported expanded un- of confidence of app lements originating fu- ution from the device	been calibrated d in this docum eference equipn een performed v vare type 7794 (t repair/adjustn certainty is base proximately 95 % from the standa se under calibra	Air pressur Relative Hu d in accordan ent are trace nent. with the assis (version 8.6 - ment ed on the sta %. The uncer irds, calibrati	re: umidity: ace with the eable to Au stance of B - DB: 8.60) : Ca Ca Ca ndard unce tainty evalu	53.0 %RH e requirement stralian / Inter rüel & Kjær So and test proce alibration prio alibration afte ertainty multip Jation has bee I, effect of env	± 20 %RH s as specified rnational star ound Level M edure P_4231 r to repair/adju olied by a cov en carried ou vironmental d	hdards through leter Calibration L_4192_M01. djustment stment rerage factor k = t in accordance conditions and	accredited n System B&K = 2 providing with EA-4/02 any short time
SPEC The acco The me calibrat PRO The me 3630 w RESU X The rep a level of from ele contribut	CIFICATIONS Dustic calibrator has assurements include tion of all relevant re CEDURE: easurements have be with application softw ULTS: Initial calibration Calibration without ported expanded un- of confidence of app lements originating fu- ution from the device	been calibrated d in this docum eference equipn een performed v vare type 7794 (t repair/adjustn certainty is base proximately 95 % from the standa ce under calibra 11/2024	Air pressur Relative Hu d in accordan ent are trace nent. with the assis (version 8.6 - ment ed on the sta %. The uncer irds, calibrati	re: umidity: ace with the eable to Au stance of B - DB: 8.60) : Ca Ca Ca ndard unce tainty evalu	53.0 %RH e requirement stralian / Inter rüel & Kjær So and test proce alibration prio alibration afte ertainty multip Jation has bee I, effect of env	± 20 %RH s as specified rnational star ound Level M edure P_4231 r to repair/adju plied by a cov en carried ou vironmental o ertificate issu Sajeeb	hdards through leter Calibration L_4192_M01. djustment stment rerage factor k = t in accordance conditions and	accredited n System B&K = 2 providing with EA-4/02 any short time



Appendix III

Operational Details - 13 March 2025 (4:45pm to 2:45am)

Excavator and Truck

EX2620(212) and 1 DZ were operating in Zone 5 hot area with 5 x 777 trucks running to the • RL210 dump (Zone 1/2)

Dozer Push

- 1 x DZ on Dump Maintenance RL210 Zone 1/2 ٠
- $4 \times DZ$'s were production dozing in Zone $4 \times DZ$'s were production dozing in Zone $5 \times DZ$'s were production dozing in Zone $5 \times DZ$
- •

Ancillary Equipment

- 1x Grader being used for haul road maintenance ٠
- 1 x Watercart being used for haul road maintenance ٠

Crib Breaks (Engine Off) for 13/03/2025 - Night Shift

Cribs breaks vary between 11:30pm – 12:30am.



SPECTRUM USTICS



