



June 2022 Blast Monitor Summary			Location			
			Goonbri East		Wilberoi East	
Blast ID	Date	Time	Overpressure	Vibration	Overpressure	Vibration
			dB(L)	mm/s	dB(L)	mm/s
C_THO27_30	2/06/2022	3:03pm	98.70	1.08	110.40	0.19
E_BR21_08	2/06/2022	3:35pm	98.70	1.08	110.40	0.19
C_MN22_22	3/06/2022	10:57am	114.80	0.12	103.70	0.07
C_BC27_20	9/06/2022	3:03pm	103.80	0.26	100.40	0.15
C_THO31_27	11/06/2022	10:57am	96.30	0.09	96.40	0.04
E_MN09_05B	11/06/2022	10:57am	96.30	0.09	96.40	0.04
C_MN24_07	14/06/2022	3:02pm	98.60	0.15	96.30	0.10
C_TS34_24	14/06/2022	3:02pm	98.60	0.15	96.30	0.10
C_MN21_26	18/06/2022	3:02pm	98.70	0.23	96.90	0.17
E_BR21_06_BR13	18/06/2022	3:02pm	98.70	0.23	96.90	0.17
C_THO32_27	23/06/2022	3:02pm	100.70	0.08	89.70	0.05
C_JE25_17	23/06/2022	3:02pm	100.70	0.08	89.70	0.05
C_BC26_08	27/06/2022	3:06pm	109.70	0.15	101.40	0.12
C_MN24_10	27/06/2022	3:06pm	109.70	0.15	101.40	0.12
EPL 12407 Criteria			<120 dB(L)	<10 mm/s		