



January 2023 Blast Monitor Summary			Location			
			Goonbri East		Wilberoi East	
Blast ID	Date	Time	Overpressure	Vibration	Overpressure	Vibration
			dB(L)	mm/s	dB(L)	mm/s
<i>C_BR35_18</i>	<i>4/02/2023</i>	<i>2:57:20 PM</i>	<i>95.70</i>	<i>0.08</i>	<i>96.40</i>	<i>0.06</i>
<i>C_BR31_24</i>	<i>8/02/2023</i>	<i>2:58:00 PM</i>	<i>98.10</i>	<i>0.15</i>	<i>103.10</i>	<i>0.14</i>
<i>C_TS34_30_PS</i>	<i>18/02/2023</i>	<i>3:20:42 PM</i>	<i>93.00</i>	<i>0.13</i>	<i>86.50</i>	<i>0.08</i>
<i>C_BC31_08</i>	<i>16/02/2023</i>	<i>3:01:33 PM</i>	<i>99.60</i>	<i>0.31</i>	<i>98.70</i>	<i>0.28</i>
<i>C_BR30_24</i>	<i>2/02/2023</i>	<i>3:09:38 AM</i>	<i>106.50</i>	<i>0.14</i>	<i>102.90</i>	<i>0.12</i>
<i>E_JE14_04</i>	<i>22/02/2023</i>	<i>3:05:00 AM</i>	<i>97.90</i>	<i>0.46</i>	<i>100.10</i>	<i>0.11</i>
<i>C_MN23_25</i>	<i>13/02/2023</i>	<i>4:16:00 PM</i>	<i>106.50</i>	<i>0.29</i>	<i>92.90</i>	<i>0.22</i>
EPL 12407 Criteria			<120 dB(L)	<10 mm/s		