

May 2020 Blast Monitor Summary			Location			
			Goonbri East		Wilberoi East	
Blast ID	Date	Time	Vibration	Overpressure	Vibration	Overpressure
			mm/s	dB(L)	mm/s	dB(L)
1054	2/05/2020	3:48PM	0.19	100.60	0.14	101.60
1055	4/05/2020	3:00PM	BT	BT	BT	BT
1056	9/05/2020	2:47PM	0.18	99.30	0.44	102.70
1057	9/05/2020	2:48PM	0.23	97.00	0.36	102.70
1058	13/05/2020	11:00am	0.20	113.50	0.19	116.30
1059	13/05/2020	11:00am	0.17	101.90	0.11	99.80
1060	16/05/2020	3:35PM	0.20	94.50	0.20	95.50
1061	18/05/2020	3:10PM	0.17	95.50	0.14	88.70
1062	18/05/2020	3:14PM	0.56	95.50	0.23	100.30
1063	23/05/2020	3:32PM	0.24	97.70	BT	BT
1064	23/05/2020	3:35PM	BT	BT	0.17	102.70
1065	25/05/2020	3:34PM	BT	BT	0.13	88.7
1066	27/05/2020	4:00PM	0.19	93.5	0.19	90.3
1067	30/05/2020	3:20PM	0.25	87.5	0.11	88.7
EPL 12407 Criteria			<10 mm/s	<120 dB(L)	*BT - Below Threshold	